

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	119	(pda same (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:57
S2	62	(pda same (program\$4 adj guide) same (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:55
S3	0	(pda same (program\$4 adj guide) same (television or tv) same (start adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:54
S4	14	(pda same (program\$4 adj guide) same (television or tv)) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:00
S5	3	(extract\$3 with ((start\$3 or broadcast) adj time)) same pda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:14
S6	83	(extract\$3 with (time)) same pda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:11
S7	0	(extract\$3 with (time)) same (epg or (program\$4 adj guide)) same pda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:12
S8	26	((extract\$3 with (time)) same pda) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:13

S9	0	((extract\$3 with (time)) same pda) and @ad<"20010228" and (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:13
S10	1	((extract\$3 same (time)) same pda) and @ad<"20010228" and (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:14
S11	20	((extract\$3 with ((start\$3 or broadcast) adj time)) and (pda) and (epg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:16
S12	62	((extract\$3 with ((start\$3 or broadcast) adj time)) same (epg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:16
S13	19	((extract\$3 with ((start\$3 or broadcast) adj time)) same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:24
S14	0	((extract\$3 with ((start\$3 or broadcast) adj time)) same alternative same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:24
S15	14	(((((start\$3 or broadcast) adj time)) same alternative same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:32
S16	53	(time same (alternative near3 (program or show or episode)) same (epg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:34
S17	23	(time same (alternative near3 (program or show or episode)) same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:38
S18	25	((epg or (program\$4 adj guide)) with unavailable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:29

S19	2	(epg or (program\$4 adj guide)) with warning with download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:29
S20	1	(epg or (program\$4 adj guide)) with error with download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:33
S21	4	(epg or (program\$4 adj guide)) with error with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:34
S22	11	(epg or (program\$4 adj guide)) with warning with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:34
S23	704	(725/39).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:47
S24	1	(epg or ipg or (program\$4 adj guide)) with request\$3 with (unique near3 (id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:28
S25	56	(epg or ipg or (program\$4 adj guide)) with request\$3 with ((id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:28
S26	10	((epg or ipg or (program\$4 adj guide)) with request\$3 with ((id or identification))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:29
S27	6877	@ad<"20010228" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:58

S28	32	@ad< "20010228" and "725"/\$.ccls. and ((id or indentification or identifier or indentifying) with (epg or ipg or (program\$4 adj guide)) with (tranmist\$4 or send\$3 or broadcast \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:00
S29	1	@ad< "20010228" and "725"/\$.ccls. and (((user or subscriber) near2 (id or indentification or identifier or indentifying)) with (epg or ipg or (program\$4 adj guide)) with (tranmist\$4 or send\$3 or broadcast \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:01
S30	1	@ad< "20010228" and "725"/\$.ccls. and (((user or subscriber) near2 (id or indentification or identifier or indentifying)) with (epg or ipg or (program\$4 adj guide)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:02
S31	20	@ad< "20010228" and "725"/37-61.ccls. and (((user or subscriber) near2 (id or indentification or identifier or indentifying)) with request \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:56
S32	7	@ad< "20010228" and "725"/37-61.ccls. and (((unique) near2 (id or indentification or identifier or indentifying)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:07
S33	134	@ad< "20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or indentification or address or identifier or identity or identify)) same (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:11

S34	77	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or indenfication or address or identifier or identity or identify)) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:11
S35	3	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or indenfication or address or identifier or identity or identify)) with (request\$3) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:26
S36	2	("6326982").FN.	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:19
S37	22	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or indenfication or address or identifier or identity or identify)) with (transmit\$4 or send\$3) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:29
S38	42	@ad<"20010228" and "725"/\$.ccls. and (((user or subscriber or viewer) near2 (id or indenfication or address or identifier or identity or identify)) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:33
S39	3	@ad<"20010228" and "725"/\$.ccls. and (((user or subscriber or viewer) near2 (id or indenfication or address or identifier or identity or identify)) with (server or headend or (head adj end)) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOOR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:00

S40	2	("5880768").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:56
S41	73	@ad<"20010228" and "725"/46,47.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:01
S42	8	@ad<"20010228" and "725"/46,47.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identity)) with (request \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:12
S43	7	@ad<"20010228" and "725"/46,47.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identity)) with (server or database or db or (data adj base) or headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:14
S44	57	@ad<"20010228" and 725/37-61.ccls. and (((user or viewer or subscriber) near2 (id or number or identifier or identity)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 12:41
S45	24	@ad<"20010228" and 725/37-61.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 12:55
S46	1	@ad<"20010228" and "725"/\$ ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with request\$3 with (guide or ipg or epq))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 12:56

S47	15	@ad<"20010228" and "725"/\$.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with (guide or ipg or epq))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:05
S48	37	@ad<"20010228" and "725"/46-47.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:05
S49	3	@ad<"20010228" and "725"/46-47.ccls. and (((user or viewer or subscriber) near2 (id or identifier or identity)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:32
S50	34	S48 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:06
S51	1	@ad<"20010228" and "725"/46-47.ccls. and (((login or (log\$4 adj in)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:35
S52	3	@ad<"20010228" and "725"/46-47.ccls. and (((login or (log\$4 adj in)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:33
S53	2	@ad<"20010228" and "725"/37-61.ccls. and (((login or (log\$4 adj in)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 13:36
S54	28	@ad<"20010228" and "725"/37-61.ccls. and (((login or (log\$4 adj in)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 14:02
S55	2	("6425129").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/07 14:02
S56	1	S55 and select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/07 14:16

S57	2	("5781872").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/07 14:19
S58	2	("6698021").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/07 14:29
S59	2	("5633657").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/07 14:38
S60	3	("6756997").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/07 14:38
S61	2	"20020126997".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:25
S62	0	@ad< "20010228" and "725"/\$.ccls. and ((pda or palm) with (address or url) with (ad or avail or advertisement) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:30
S63	0	@ad< "20010228" and ("725"/\$.ccls. or "348"/\$. ccls.) and ((pda or palm) with (address or url) with (ad or avail or advertisement) with (epg or ipg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:30
S64	0	@ad< "20010228" and ("725"/\$.ccls. or "348"/\$. ccls.) and ((pda or palm) with (address or url) with (ad or avail or advertisement)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:30
S65	0	@ad< "20010228" and ("725"/\$.ccls. or "348"/\$. ccls.) and ((pda or palm) same ((address or url) with (ad or avail or advertisement)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:31

S66	17	@ad< "20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and (pda or palm) and ((address or url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:31
S67	4	@ad< "20010228" and 725/37-61.ccls. and (pda or palm) and ((address or url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:32
S68	3	@ad< "20010228" and 725/37-61.ccls. and (pda or palm) and ((url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:32
S69	0	@ad< "20010228" and 725/37-61.ccls. and (determin\$3 with device with (kind or type)) and ((url) with (ad or avail or advertisement) with (program\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:33
S70	0	@ad< "20010228" and 725/37-61.ccls. and (determin\$3 with device with (kind or type)) and ((url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:34
S71	0	@ad< "20010228" and 725/37-61.ccls. and (determin\$3 with (device or client) with (kind or type)) and ((url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:35
S72	0	@ad< "20010228" and "725"/\$.ccls. and (determin\$3 with (device or client) with (kind or type)) and ((url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:35
S73	0	@ad< "20010228" and ("725"/\$.ccls. or "348"/\$.ccls.) and (determin\$3 with (device or client) with (kind or type)) and ((url) with (ad or avail or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/04 14:37
S74	0	@ad< "20010228" and 725/37-61.ccls. and (url with (type or os or (operating adj system)) with (pda or palm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:36

S75	0	@ad<"20010228" and "725"/\$.ccls. and (url with (type or os or (operating adj system)) with (pda or palm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:36
S76	0	@ad<"20010228" and "725"/\$.ccls. and (url with (type or os or (operating adj system)) with (pda or palm or phone or cell or cellphone or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:36
S77	10	@ad<"20010228" and "725"/\$.ccls. and (url with (pda or palm or phone or cell or cellphone or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:36
S78	5	@ad<"20010228" and "725"/37-61.ccls. and (url with (pda or palm or phone or cell or cellphone or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:37
S79	5	S77 not S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:38
S80	76	@ad<"20010228" and "725"/37-61.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:39
S81	5	@ad<"20010228" and "725"/37-61.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular) with (type or kind or os or (operating adj system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:40
S82	4	@ad<"20010228" and "725"/32-36.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular) with (type or kind or os or (operating adj system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:42

S83	25	@ad<"20010228" and "725"/32-36.ccls. and ((url or link or address) with (pda or palm or phone or cell or cellphone or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:43
S84	23	@ad<"20010228" and "725"/32-36.ccls. and ((url or link or address) with (pda or palm or phone or (cell near2 phone) or cellphone or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:43
S85	57	@ad<"20010228" and "725"/\$.ccls. and ((url or link or address) with (pda or palm or phone or (cell near2 phone) or cellphone or cellular) with information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:46
S86	3	@ad<"20010228" and "725"/\$.ccls. and ((url or link or address) with (pda or palm or phone or (cell near2 phone) or cellphone or cellular) with information with (episode or program\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:48
S87	1459	@ad<"20010228" and "725"/37-61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:50
S88	0	@ad<"20010228" and "725"/37-61.ccls. and (determin\$3 with pda with computer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:51
S89	0	@ad<"20010228" and "725"/37-61.ccls. and (determin\$3 with pda with ((cell or cellular) near3 (phone or telephone)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:52
S90	0	@ad<"20010228" and "725"/37-61.ccls. and (determin\$3 with (pda or ((cell or cellular) near3 (phone or telephone))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:52
S91	0	@ad<"20010228" and "725"/37-61.ccls. and (((determin\$3 or check\$3) with (pda or ((cell or cellular) near3 (phone or telephone))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:52

S92	0	@ad< "20010228" and "725"/37-61.ccls. and (((determin\$3 or check\$3) with (pda or cellphone or ((cell or cellular) near3 (phone or telephone))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:53
S93	8	@ad< "20010228" and "725"/\$.ccls. and (((determin\$3 or check\$3) with (pda or cellphone or ((cell or cellular) near3 (phone or telephone))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:53
S94	0	@ad< "20010228" and "725"/\$.ccls. and (((determin\$3 or check\$3) with (url or link or website or address) with (pda or cellphone or ((cell or cellular) near3 (phone or telephone))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:53
S95	0	@ad< "20010228" and "725"/37-61.ccls. and (inbed\$4 with (link or url or address) with (guide or epq or ipg))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:56
S96	0	@ad< "20010228" and "725"/37-61.ccls. and (inbed\$4 with (link or url or address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:56
S97	202	@ad< "20010228" and "725"/37-61.ccls. and ((link or url or address) with (guide or epq or ipg))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:57
S98	18	@ad< "20010228" and "725"/37-61.ccls. and ((link or url or address) with (guide or epq or ipg) with (ad or advail or avail or commercial or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/06 15:57
S99	1	"20020126997".pn. and target\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 11:18
S100	2	"20020126997".pn. and specific\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 11:18

S101	1	"20020126997".pn. and (computer with medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/03 11:23
S102	20	@ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (end\$3 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:44
S103	0	@ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (chang \$3 or modify\$3) with (end \$3 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:47
S104	0	@ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (chang \$3 or modif\$6) with (end \$3 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:47
S105	5	@ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (chang \$3 or modif\$6 or set\$4) with (end\$3 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:47
S106	9	@ad<"20010228" and "725"/47.ccls. and ((start \$3 adj time) with (window or guide or ipg or epq) with (end\$3 adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:49
S107	9	S102 not (S105 or S106)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 19:53

7/ 16/ 2009 11:28:13 AM

C:\Documents and Settings\jshepard\My Documents\EAST\Workspaces\ pda_10085538.wsp